Student Activity Book

Using Different Units

2. A.

3.

Questions 1–10 (SAB pp. 553–558)


- **I. A.** 3 quarts = 12 cups, 5 quarts = 20 cups
 - **B.** The volume in cups equals the volume in quarts times four.
 - **C.** 32 cups. If 1 quart is 4 cups, then 8 quarts times 4 equals the volume in cups.
 - **D.** 10 cups. Possible response: 2 quarts is 8 cups and 1 quart is 4 cups, so 0.5 quart is 2 cups. 2.5 quarts equals 8 cups + 2 cups, or 10 cups.

Input	Output
Volume in Cups	Volume in Fluid Ounces
1	8
2	16
3	24
4	32
5	40
8	64
10	80


- **B.** The volume in fluid ounces equals the volume in cups times 8.
- **C.*** 96 ounces. 10 cups \times 8 = 80 ounces, so she needs at least 80 ounces. The smallest bottle she can buy is the 96 ounce bottle.


Α.	Input	Output	
	Volume in Milliliters	Volume in Cubic Centimeters	
	10	10	
	50	50	
	100	100	
	250	250	
	1000	1000	
	2000	2000	

B. The volume in cubic centimeters is equal to the volume in milliliters.




Student Activity Book - Page 553





*Answers and/or discussion are included in the lesson.



Student Activity Book - Page 555

4. A. Input

```
Output
Distance in Inches
                    Distance in Feet
        12
                           1
        24
                           2
                           3
        36
                           4
        48
                           5
        60
        72
                           6
```

B. I agree with John. Possible response: I tried his rule and it worked for all the data in the table. Shannon's does not work because it takes fewer feet to equal the same distance in inches. Her rule leads to more feet. I tried Ming's and his does not work for all the data in the table. It works when there are 12 inches, but not for the other distances.

Output

input	Output
Distance in Centimeters	Distance in Meters
100	1
10	0.10
1000	10
1	.01
500	5
5000	50

B. The rule is centimeters $\div 100 =$ meters. Possible response: Centimeters times 100 gives more meters and that cannot be right—meters are larger so I need less of them to equal the same distance. I tried centimeters divided by 10 and it did not work for the first few examples in the table, so it does not work.

Answer Key • Lesson 5: Writing Rules

6. A. Input Output

<i>N</i> Number of 12-packs of soda	V Volume (cubic feet)
1	<u>1</u> 2
2	1
4	2
5	$2\frac{1}{2}$
10	5
N	$N \div 2$

B. 30 12-packs of soda. Possible response: $30 \div 2 = 15$; or I know that it takes 10 packs to fill 5 cubic feet. So 5 + 5 + 5 = 15 cubic feet and that would be three groups of 10 packs. So 30 packs of soda.


<i>N</i> Number of Marbles	<i>T</i> Total Volume (cc)	N Number of Marbles	<i>T</i> Total Volume (cc)
0	50	0	50
1	53	1	55
2	56	3	65
5	65	5	75
10	80	10	100
N	$N \times 3 + 50$	N	$N \times 5 + 50$

B.* Table B. In Table B, 1 marble is 5 cc and in Table A, 1 marble is 3 cc.


C.
$$T = N \times (3) + 50$$

 $T = N \times (5) + 50$

- **D.** The 50 is the volume of water in the graduated cylinder at the start.
- **E.** The total volume is equal to the number of marbles times five plus 50 cc.



Student Activity Book - Page 556



Student Activity Book - Page 557

+ 50 + 100
+ 50
+ 50
+ 100
$\sum_{i=1}^{n}$
⊦ 100
arger
iting Rules

Student Activity Book - Page 558

8. A.			
0. A.	<i>N</i> Number of Marbles	T Total Volume (cc)	
	0	100	
	1	110	
	2	120	
	3	130	
	4	140	
	N	$N \times 10 + 100$	

B. Possible answer: I agree with $N \times 10 + 100$. I tried the others and they did not work. The last one, $N \times 10$, forgot to put the starting volume in the rule.

9.	<i>N</i> Number of Marbles	<i>T</i> Total Volume (cc)
	0	100
	1	106
	2	112
	5	130
	10	160
	N	N × 6 + 100

10. Ana has the larger marble. In their rules, they multiplied the number of marbles by the volume of each marble. Ana's marble is 10 cc and Linda's is 6 cc.

Student Activity Book

Homework

Questions 1-5 (SAB pp. 559-561)

I. A. Input

Weight in Pounds	Weight in Ounces
1	16
2	32
4	64
5	80
50	800
100	1600
148	2368


Output

- **B.** The weight in ounces is equal to the weight in pounds times 16.
- **C.** 384 ounces. Possible responses: 24 pounds \times 16 = 384 oz., or I looked at the table. 50 pounds is equal to 800 oz., so 25 pounds is equal to 400 oz. Then I subtracted the equivalent of 1 pound or 16 oz.; 400 oz. – 16 oz. = 384 oz.
- 2. 138 pounds or 2208 ounces. Possible responses: 160 oz. = 10 pounds.So, 148 pounds - 10 pounds = 138 pounds;148 pounds \times 16 oz. = 2368 ounces with his boots on. 2368 oz. - 160 oz. = 2208 oz. with his boots off.

3. A.	Input
-------	-------

Input	Output
Mass in Kilograms	Mass in Grams
1	1000
2	2000
3	3000
4	4000
10	10,000
67	67,000

B. The mass in grams is the mass in kilograms times 1000.



Student Activity Book - Page 559

Name.			Date			
hi	In Earth, Professor Peabody took off his 160-ounce moon boots to weigh imself. If he weighs 148 pounds on Earth with his boots on, how much loes he weigh with his boots off? Show or tell how you know.					
3. A		is 67 kilograms. Com	s the same on the moon and on plete the table to find Professor			
	Mass in Kilograms	Mass in Grams				
	1	1000				
		1000 2000				
	1					
	1 2					
	1 2	2000				
	1 2 3 10 67	2000 4000 10,000				
В	1 2 3 10 67	2000 4000 10,000	when you know the mass in			

Student Activity Book - Page 560

Input Distance in Meters 1 2	Out Dista in Centi 10	ince meters		centimeters = m	neters × 100
in Meters 1	in Centi	meters		centimeters = m	neters × 100
· ·	10	0	00	centimeters = m	ieters × 100
2					eters = meters × 100
			000	$\sim \sim \sim \sim \sim$	
	00				ieters ÷ 100
10					~
100			centimeters = meters ÷ 10		
1000					
now.					ell how you
	Trial		Distance Car Tra	aveled	
	Car 1	2 m	eters and 140 cer	ntimeters	
	Car 2		3.8 meters		
	Car 3		315 centimeter	ers	
	1000 Which ru licholas roll accorded for now.	1000 1000	1000 J. Which rule do you agree w licholas rolled three cars dow acorded for each car. Which a mow. Trial Car 1 2 m Car 2	1000	100 1000 1000

Student Activity Book - Page 561

4. A.	Input	Output		
	Distance in Meters	Distance in Centimeters		
	1	100		
	2	200		
	5	500		
	10	1000		
	100	10,000		
	1000	100,000		

- **B.** Centimeters = meters \times 100. Possible response: I tried the other rules and they did not work. I know there are more centimeters in each meter, so dividing meters by 100 or 10 does not work.
- **5.** Car 2 traveled the farthest. Possible response: I changed all the measurements into centimeters and Car 2 traveled 380 centimeters. Car 1 traveled 340 cm and Car 3 traveled 315 centimeters.