### Student Guide

# Compare Fractions to Benchmarks (SG pp. 82–85) Questions 1–11

- 1. A.  $\frac{3}{8} < \frac{4}{8}$
- **B.**  $\frac{2}{3} > \frac{1}{2}$
- **C.**  $\frac{3}{4} > \frac{3}{8}$
- **D.**  $\frac{1}{6} < \frac{2}{3}$
- **E.**  $\frac{1}{4} > \frac{1}{8}$


Copyright © Kendall Hunt Publishing Company

- **F.**  $\frac{4}{5} > \frac{1}{2}$
- **2. A.\***Answers will vary. Possible responses:  $\frac{1}{4}$ ,  $\frac{1}{3}$ ,  $\frac{2}{8}$  are less than  $\frac{1}{2}$ ;  $\frac{2}{4}$ ,  $\frac{3}{6}$ ,  $\frac{4}{8}$  are equal to  $\frac{1}{2}$ ,  $\frac{3}{4}$ ,  $\frac{7}{8}$ , and  $\frac{3}{2}$  are greater than  $\frac{1}{2}$ . A fraction is equal to  $\frac{1}{2}$  if its numerator is half its denominator. A fraction is less than or greater than  $\frac{1}{2}$  according to whether its numerator is less than or greater than half its denominator.
  - **B.**  $\frac{5}{6} > \frac{1}{2}, \frac{1}{3} < \frac{1}{2}, \frac{3}{2} > \frac{1}{2}, \frac{49}{64} > \frac{1}{2}, \frac{25}{50} = \frac{1}{2}, \frac{25}{15} > \frac{1}{2}, \frac{90}{100} > \frac{1}{2}, \frac{3}{7} < \frac{1}{2}, \frac{15}{15} > \frac{1}{2}$
- **3. A.** Answers will vary. Possible responses:  $\frac{2}{3}$ ,  $\frac{3}{4}$ , and  $\frac{4}{5}$  are less than 1;  $\frac{3}{3}$ ,  $\frac{4}{4}$ , and  $\frac{5}{5}$  are equal to 1; and  $\frac{5}{3}$ ,  $\frac{7}{4}$ , and  $\frac{9}{5}$  are greater than 1. A fraction is less than, equal to, or greater than 1 depending on whether its numerator is less than, equal to, or greater than its denominator.
  - **B.**  $\frac{5}{6} > 1$ ,  $\frac{1}{3} < 1$ ,  $\frac{3}{2} > 1$ ,  $\frac{49}{64} < 1$ ,  $\frac{25}{50} < 1$ ,  $\frac{20}{15} > 1$ ,  $\frac{90}{100} < 1$ ,  $\frac{3}{7} < 1$ ,  $\frac{15}{15} = 1$
- 4.Fractions near or equal to 0Fractions near or equal to 0Fractions near or equal to  $\frac{1}{2}$ Fractions near or equal to 1Fractions much greater than 1 $\frac{0}{12}$ ,  $\frac{1}{12}$  $\frac{5}{12}$ ,  $\frac{10}{12}$ ,  $\frac{11}{12}$  $\frac{25}{12}$ 
  - **B.\***In fractions near 0, the numerators are much smaller than the denominators.


In fractions near  $\frac{1}{2}$ , the numerators are about one-half the denominators.

In fractions near 1, the numerators are almost the same as the denominators.

In fractions much greater than 1, the numerators are greater than the denominators.



### Student Guide - Page 82



Student Guide - Page 83

<sup>\*</sup>Answers and/or discussion are included in the lesson.

### Use Benchmarks

When you want to compare fractions, it often helps to first compare them to the benchmarks  $0, \frac{1}{2}$ , and 1.

Example: Which is smaller,  $\frac{2}{12}$  or  $\frac{4}{8}$ ?

Answer: Since  $\frac{2}{12}$  is close to 0 and  $\frac{4}{8}$  is equal to  $\frac{1}{2}$ ,  $\frac{2}{12}$  is smaller than  $\frac{4}{8}$ . We can write  $\frac{2}{12} < \frac{4}{8}$ .

- 5. Use benchmarks to decide which fraction is larger. Use the symbols < or > in
- **A.**  $\frac{5}{12}$ ,  $\frac{1}{10}$ **E.**  $\frac{12}{10}$ ,  $\frac{10}{12}$
- **B.**  $\frac{5}{6}, \frac{9}{8}$ F.  $\frac{7}{12}$ ,  $\frac{1}{6}$
- C.  $\frac{4}{5}$ ,  $\frac{3}{6}$
- **D.**  $\frac{5}{4}, \frac{0}{2}$ **G.**  $\frac{20}{10}$ ,  $\frac{1}{20}$ H.  $\frac{7}{8}, \frac{3}{5}$

### Patterns in Numerators and Denominators

When fractions have the same numerators or the same denominators, it is sometimes easier to compare them. In Questions 6 and 7, you will look for patterns.

- 6. Put each of the following sets of fractions in order from smallest to largest. Use the symbol for "less than" (<) in your answer. Follow the example:
  - Example:  $\frac{2}{8}$ ,  $\frac{7}{8}$ ,  $\frac{5}{8}$ ,  $\frac{1}{8}$
- Answer:  $\frac{1}{8} < \frac{2}{8} < \frac{5}{8} < \frac{7}{8}$
- **A.**  $\frac{4}{5}$ ,  $\frac{1}{5}$ ,  $\frac{6}{5}$ ,  $\frac{3}{5}$ **B.**  $\frac{11}{12}$ ,  $\frac{2}{12}$ ,  $\frac{8}{12}$ ,  $\frac{7}{12}$
- C. If two or more fractions have the same denominator, how can you tell which of the fractions is larger?
- 7. Put each of the following sets of fractions in order from smallest to largest.
  - **A.**  $\frac{1}{3}$ ,  $\frac{1}{4}$ ,  $\frac{1}{10}$
- **B.**  $\frac{1}{8}, \frac{1}{2}, \frac{1}{5}$
- **C.**  $\frac{1}{5}$ ,  $\frac{1}{10}$ ,  $\frac{1}{2}$
- D. When you compare fractions that have a numerator of 1, how can you tell which is larger?

84 SG · Grade 5 · Unit 2 · Lesson 8

# Student Guide - Page 84

- 8. Put each of the following sets of fractions in order from smallest to largest.
  - **A.**  $\frac{2}{8}, \frac{2}{3}, \frac{2}{10}$
- **B.**  $\frac{3}{8}, \frac{3}{5}, \frac{3}{4}$
- **C.**  $\frac{4}{5}, \frac{4}{8}, \frac{4}{2}$
- D. When you compare fractions that have the same numerator, how can

#### ✓ Check-In: Questions 9-11

- 9. Use what you have learned about benchmark numbers and patterns in denominators and numerators to put each of the following sets of fractions in order from smallest to largest. Use the symbol for less than (<) in your
  - **A.**  $\frac{7}{12}$ ,  $\frac{3}{8}$ ,  $\frac{1}{12}$ ,  $\frac{10}{10}$
- **B.**  $\frac{2}{9}$ ,  $\frac{12}{11}$ ,  $\frac{8}{14}$ ,  $\frac{4}{8}$
- **c.**  $\frac{7}{8}, \frac{7}{4}, \frac{7}{11}, \frac{7}{9}$
- **D.**  $\frac{9}{6}, \frac{3}{6}, \frac{1}{6}, \frac{5}{6}$
- **E.**  $\frac{2}{12}$ ,  $\frac{20}{10}$ ,  $\frac{4}{6}$ ,  $\frac{2}{4}$
- **F.**  $\frac{7}{10}$ ,  $\frac{10}{9}$ ,  $\frac{1}{10}$ ,  $\frac{4}{9}$
- 10. Show or tell how you put the fractions in order in Question 9E.
- 11. Manny walks  $\frac{1}{2}$  mile to school each day, David walks  $\frac{2}{3}$  mile to school, and Brandon walks  $\frac{1}{a}$  mile.
  - A. Who has the shortest walk? Explain how you know
  - B. Who has the longest walk? Explain how you know.



Use the strategies you have learned to put the following sets of fractions in order from smallest to largest.

- 1.  $\frac{2}{12}$ ,  $\frac{2}{3}$ ,  $\frac{2}{5}$ ,  $\frac{2}{10}$ 3.  $\frac{3}{10}$ ,  $\frac{7}{10}$ ,  $\frac{2}{10}$ ,  $\frac{5}{10}$
- **2.**  $\frac{7}{8}$ ,  $\frac{1}{12}$ ,  $\frac{3}{6}$ ,  $\frac{13}{5}$
- **4.**  $\frac{11}{12}$ ,  $\frac{4}{9}$ ,  $\frac{0}{3}$ ,  $\frac{1}{3}$
- **5.**  $\frac{5}{9}$ ,  $\frac{5}{4}$ ,  $\frac{5}{12}$ ,  $\frac{5}{6}$
- 6. Show or tell how you can use benchmark numbers to order the fractions in

SG · Grade 5 · Unit 2 · Lesson 8 85


# Student Guide - Page 85

\*Answers and/or discussion are included in the lesson.

Copyright © Kendall Hunt Publishing Company

- **5.** A.\*  $\frac{5}{12} > \frac{1}{10}$
- **B.**  $\frac{5}{6} < \frac{9}{8}$
- C.  $\frac{4}{5} > \frac{3}{6}$
- **D.**  $\frac{5}{4} > \frac{0}{2}$
- **E.**  $\frac{12}{10} > \frac{10}{12}$ **G.**  $\frac{20}{10} > \frac{1}{20}$
- **F.**  $\frac{7}{12} > \frac{1}{6}$ H.  $\frac{7}{8} > \frac{3}{5}$
- **6.** A.  $\frac{1}{5} < \frac{3}{5} < \frac{4}{5} < \frac{6}{5}$ 
  - **B.**  $\frac{2}{12} < \frac{7}{12} < \frac{8}{12} < \frac{11}{12}$
  - C.\* The fraction with the larger numerator is the larger fraction.
- 7. A.  $\frac{1}{10} < \frac{1}{4} < \frac{1}{3}$ 
  - **B.**  $\frac{1}{8} < \frac{1}{5} < \frac{1}{2}$
  - **C.**  $\frac{1}{10} < \frac{1}{5} < \frac{1}{2}$
  - D.\* The fraction with the smaller denominator is the larger fraction.
- **8.** A.  $\frac{2}{10} < \frac{2}{8} < \frac{2}{3}$  B.\*  $\frac{3}{8} < \frac{3}{5} < \frac{3}{4}$ 

  - **C.**  $\frac{4}{9} < \frac{4}{5} < \frac{4}{2}$
  - D.\* The fraction with the smaller denominator is the larger fraction.
- **9. A.**  $\frac{1}{12} < \frac{3}{8} < \frac{7}{12} < \frac{10}{10}$
- **B.**  $\frac{2}{9} < \frac{4}{9} < \frac{8}{14} < \frac{12}{11}$
- **A.**  $\frac{7}{12} < \frac{7}{8} < \frac{7}{12} < \frac{7}{10}$  **D.**  $\frac{1}{6} < \frac{3}{6} < \frac{5}{6} < \frac{9}{6}$  **D.**  $\frac{1}{6} < \frac{3}{6} < \frac{5}{6} < \frac{9}{6}$
- E.  $\frac{2}{12} < \frac{2}{4} < \frac{4}{6} < \frac{20}{10}$  F.  $\frac{1}{10} < \frac{4}{9} < \frac{7}{10} < \frac{10}{9}$
- 10. Answers will vary. Possible response: I used benchmark numbers.  $\frac{2}{12}$  is close to zero so it is the smallest.  $\frac{2}{4}$  is equal to  $\frac{1}{2}$  and  $\frac{4}{6}$  is a little bigger than  $\frac{1}{2}$ .  $\frac{20}{10}$  is equal to 2. So the order is  $\frac{2}{12}$ ,  $\frac{2}{4}$ ,  $\frac{4}{6}$ ,  $\frac{20}{10}$ .
- II. A. Brandon has the shortest walk. Possible response: If you use benchmark numbers,  $\frac{1}{4}$ is closest to zero, so his walk will be the shortest of all of the walks.
  - **B.** David has the longest walk. Possible response: If you use a number line,  $\frac{2}{3}$  is closer to 1 than  $\frac{1}{2}$ , the length of Manny's walk. So David's walk is longer.



### Homework (SG p. 85) Questions 1–6

Solution strategies will vary for *Questions 1–6*.


- $1. \quad \frac{2}{12} < \frac{2}{10} < \frac{2}{5} < \frac{2}{3}$
- **2.**  $\frac{1}{12} < \frac{3}{6} < \frac{7}{8} < \frac{13}{5}$
- **3.**  $\frac{2}{10} < \frac{3}{10} < \frac{5}{10} < \frac{7}{10}$
- **4.**  $\frac{0}{3} < \frac{1}{3} < \frac{4}{9} < \frac{11}{12}$
- **5.**  $\frac{5}{12} < \frac{5}{9} < \frac{5}{6} < \frac{5}{4}$
- **6.** Possible response:  $\frac{1}{12}$  is very close to zero, so it is the smallest fraction.  $\frac{13}{5}$  is more than 2, so it is the largest fraction.  $\frac{3}{6}$  is equal to  $\frac{1}{2}$  and  $\frac{7}{8}$  is almost 1, so  $\frac{1}{2}$  is smaller than  $\frac{7}{8}$ :  $\frac{11}{12}$ ,  $\frac{3}{6}$ ,  $\frac{7}{8}$ ,  $\frac{13}{5}$ .

# Student Activity Book

## Use Benchmarks to Sort Fractions (SAB p. 91) Homework Questions 1–4

١.				Fractions much greater than 1
	<u>0</u>	5	5 11	24
	4	8, 10	5, 10	12

- **2.** Possible response: Since the numerator and denominator are very close (11 and 10), it means that the fraction is very close to one whole or that it is almost equal to 1.
- Fractions near or equal to 0 | Fractions near or equal to 0 | Fractions near or equal to 1 |
- **4.** Possible response: A fraction is close to  $\frac{1}{2}$  when the numerator is about half of the denominator. A fraction is equal to  $\frac{1}{2}$  when the numerator is exactly half of the denominator. For example, 23 is about half of 50 so  $\frac{23}{50}$  is close to  $\frac{1}{2}$ . 30 is exactly half of 60 so  $\frac{30}{60}$  is equal to  $\frac{1}{2}$ .



Student Activity Book - Page 91